

# Celz Silicone Oil

Date: 06/2019 Page **1** of **5** 

#### 1 **IDENTIFICATION OF SUBSTANCE**

#### 1.1 Product Identifier:

Identification on the label/ Trade name: Celz Silicone Oil

# 1.2 Relevant Identified uses of the substance and uses advised against: 1.2.1 Identified uses:

Lubricant for industrial purposes. 1.2.2 Uses advised against: Not available

1.3 Details of the Supplier of the material safety data sheet:

GlassCast Resins

Distributed by: Easy Composites Ltd Unit 39 Park Hall Business Village Stoke on Trent

ST3 5XA United Kingdom

1.4 Emergency telephone number:

Email: help@glasscastresin.com Tel: +44 (0)1782 450300

Tel: +44 (0)1782 450300

#### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

#### 2.1.1 Classification:

Classification according to directive 67/548/EEC OR 1999/45/EC:

This substance is not classified as dangerous according to regulation (EC) 1272/2008[GHS]

#### 2.2 Label Elements:

**Hazard Pictograms:** 

Not applicable.

Signal Word(s):

Not applicable.

**Hazard Statement:** 

Not applicable. Precautionary statement:

Not applicable.

#### 2.3 Other hazards

Not available.

#### **COMPOSITION / INFORMATION ON INGREDIENTS** 3

# 3.1 Substance/Mixture:

The product in question is a substance.

### 3.2 Ingredients:

| Chemical name                 | EC No     | CAS No   | REACH registration | Classification according to Regulation (EC) | Weight - % |
|-------------------------------|-----------|----------|--------------------|---|------------|
|                               |           |          | No                 | No. 1272/2008 [CLP]                         |            |
| Octamethylcyclotetrasiloxane  | 209-136-7 | 556-67-2 | No data available  | Flam. Liq. 3 (H226)                         | 0.1 – 1    |
|                               |           |          |                    | Repr. 2 (H316f)                             |            |
|                               |           |          |                    | Aquatic Chronic 4 (H413)                    |            |
| Dodecamethylcyclohexasiloxane | 208-762-8 | 540-97-6 | No data available  | No data available                           | 0.1 – 1    |
| Decamethylcyclopentasiloxane  | 208-764-9 | 541-02-6 | No data available  | No data available                           | 0.1 – 1    |

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59): Octamethylcyclotetrasiloxane, Dodecamethylcyclohexasiloxane, Decamethylcyclopentasiloxane

#### 4 **FIRST-AID MEASURES**

# 4.1 Description of first aid measures:

General advice: When in doubt or if symptoms are observed, get medical advice

Inhalation: Remove to fresh air

Skin contact: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes

Eye contact: If substance enters the eyes, immediately rinse with plenty of water for several minutes Indigestion: Clean mouth with water and drink afterwards plenty of water

### 4.2 Most important symptoms and effect, both acute and delayed:

# 4.3 Indication of any immediate medical attention and special treatment needed:

Not applicable.

# Celz Silicone Oil

Date: 06/2019 Page 2 of 5

#### 5 FIRE-FIGHTING MEASURES

### 5.1 Extinguishing Media:

5.1.1 Suitable extinguishing media:

Alcohol resistant foam carbon dioxide (CO<sub>2</sub>), extinguishing powder, water mist.

5.1.2 Unsuitable extinguishing media:

Strong water jet.

#### 5.2 Specific Hazards arising from the substance or mixture:

In case of fire may be liberated: Carbon dioxide (CO2), carbon monoxide, nitrogen oxides (NOx).

#### 5.3 Advice for fire-fighters:

Do not inhale explosion and combustion gases. Use water spray jet to protect personnel and to cool endangered containers. Wear a self-contained breathing apparatus and chemical protective clothing.

# 6 ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Special danger of slipping by leaking/spilling product. See protective measures under point 7 and 8.

#### 6.2 Environmental precautions:

In case of gas escape or of entry into waterway, soil or drains, inform the responsible authorities.

# 6.3 Methods of containment and cleaning up:

Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Damn up. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly. Use personal protective equipment as required.

#### 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### 7 HANDLING AND STORAGE

# 7.1 Precautions for safe handling:

7.1.1 Protective measures:

Wear full protective clothing for prolonged exposure &/or high concentrations.

7.1.2 Advice on general occupational hygiene:

Maintain good standards of hygiene and work practices. When handling the material do not eat, drink or smoke. Wash hands before and after handling silicone.

### 7.2 Conditions for safe storage, including any incompatibilities:

Keep the packing dry and well-sealed to prevent contamination and absorption of humidity. Never use pressure to empty container. Storage class: 10

#### 7.3 Specific end use(s):

Risk Management Methods (RMM): The information required is contained in this Safety Data Sheet

# 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters:

To date, no national critical values exist.

#### 8.2 Exposure controls:

Engineering controls: Ensure adequate ventilation, especially in confined areas.

Eye/face protection: Wear safety glasses with side shields (or goggles)

Hand protection: Wear protective gloves. To protect the wearer, gloves must be the correct fit and be used properly. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN374

Skin and body protection: Suitable protective clothing. For gloves see previous.

Respiratory protection: none under normal use conditions.

# Celz Silicone Oil

Date: 06/2019 Page **3** of **5** 

#### 8.3 Environmental exposure controls:

Local authorities should be advised if significant spillages cannot be contained.

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties:

Physical state:

Colour:
Colour:
Codour:
Clear
Odourless
PH:
Not applicable.
Melting point/range (°C):
Boiling point/range (°C):
@760 mmHg
Liquid
Clear
Odourless
Not applicable.
Not available.

Boiling point/range (°C):

Boiling point/range (°C):

Green mHg

> 150

> 300 Open Cup

> 120 Closed Cup

Evaporation rate:

Not applicable.

Flammability (soild gas):

Not available

Evaporation rate:

Flammability (soild,gas):

Ignition temperature (°C):

Upper/lower flammability/explosive limits:

Vapour pressure (hPa):

© 20°C

Not available.

> 400

Not available.

> 401

> 402

• 401

• 402

• 403

• 403

• 403

• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
• 403
•

Vapour pressure (hPa):

Vapour density:

Relative Density (g cm<sup>-3</sup>)

Q 25°C

Q 25°C

Q 25°C

Q 25°C

Q 25°C

Solubility: @ 20°C Insoluble in water

Auto-ignition temperature (°C): > 400

Decomposition temperature (°C): > 150

Decomposition temperature ( $^{\circ}$ C): > 15 Viscosity (mm<sup>2</sup> s<sup>-1</sup>, cSt): @ 25°C 500

9.2 Other information:

Not available.

# 10 STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No information available.

# 10.2 Chemical stability:

No information available.

#### 10.3 Possibility of hazardous reactions:

No information available.

#### 10.4 Conditions to avoid:

No information available.

## 10.5 Incompatible materials:

Exothermic reaction with Oxidising agent, Strong acid and Strong Alkali

# 10.6 Hazardous decomposition products:

Decomposition with: Carbon dioxide (CO2), Carbon monoxide, Nitrogen oxides (NOx). If this product is heated to > 150 °C, trace quantities of formaldehyde may be release, and adequate ventilation is required.

# 11 TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects:

Acute toxicity:

| Chemical name                | Oral LD50          | Dermal LD50          | Inhalation LC50                |
|------------------------------|--------------------|----------------------|--------------------------------|
| Allcosil 200/500             | >5000 mg/kg (Rat)  | > 2000 mg/kg (Rat)   |                                |
| Octamethylcyclotetrasiloxane | = 1540 mg/kg (Rat) | = 794 μL/kg (Rabbit) | = 36 g/m <sup>3</sup> (Rat) 4h |

Skin corrosion/irritation:

Not applicable.

Serious eye damage/irritation:

Not applicable.
Respiratory or skin sensitization:

Not applicable.

# Celz Silicone Oil

Date: 06/2019 Page **4** of **5** 

Germ cell mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive toxicity:

Not applicable. STOT- single exposure:

Not applicable.

STOT- repeated exposure: Not applicable.

iratian harardı

Aspiration hazard:

Not applicable.

#### 12 ECOLOGICAL INFORMATION

# 12.1 Ecotoxicity:

| 12.1 Ecotoxicity.                              |  |  |
|--|--|--|
| Acute (short-term) algae toxicity              | Acute (short term) aquatic invertebrate toxicity | Chronic (long term) fish toxicity              |
| IC50: > 100000 mg/l (72h Skeletonema costatum) | EC0: > 0.0001 mg/l (48h Daphnia magna)           | NOEC: > 10000 ma/kg (672h Oncorhynchus mykiss) |

#### 12.2 Persistence and degradability:

No information available.

#### 12.3 Bioaccumulative potential:

No information available.

### 12.4 Mobility in soil:

No information available.

#### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII

#### 12.6 Other adverse effects:

The evaluation was carried out according to the calculation method of the preparation directive.

# 13 DISPOSAL CONSIDERATIONS

# 13. 1 Waste treatment methods:

Send to a hazardous waste incinerator facility under observation of official regulations.

#### 13.2 Product/ Packaging disposal:

Clean IBCs or drums at approved facility only. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

#### 14 TRANSPORT INFORMATION

### 14.1 UN-no:

No dangerous good in sense of this transport regulation.

## 14.2 Transport hazard class(es)

14.2.1 RID/ADR:

Not subject to ADR/RID.

14.2.2 IMDG:

Not subject to IMDG code.

14.2.3 IATA/ICAO:

Not subject to IATA regulations.

# 15 REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.1.1 Water hazard class (WGK):

Class: Slightly hazardous to water (WGK 1) Storage Class: 10

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59). Octamethylcyclotetrasiloxane, Dodecamethylcyclohexasiloxane, Decamethylcyclopentasiloxane

#### 15.2 Chemical safety assessment:

Chemical safety assessments for substances in this mixture were not carried out.

# **Celz Silicone Oil**

Date: 06/2019 Page **5** of **5** 

# **16 OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3:

H226 – Flammable liquid and vapour

H361f – Suspected of damaging fertility

H413 – May cause long lasting harmful effects to aquatic life

DISCLAIMER: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. Dated:06/2019